

Table A. - Acreage and Proportionate Extent of the Soils

Campbell County and the City of Lynchburg, Virginia

Map Symbol	Soil Name	Acres	Percent
AbB	Abell fine sandy loam, 0 to 4 percent slopes	4,058	1.1
AeB	Abell loam, 0 to 4 percent slopes	721	0.2
AgB	Appling gravelly sandy loam, 2 to 6 percent slopes	2,277	0.6
AgC	Appling gravelly sandy loam, 6 to 15 percent slopes	3,066	0.9
ApB	Appling fine sandy loam, 2 to 6 percent slopes	5,887	1.7
ApC2	Appling fine sandy loam, 6 to 15 percent slopes, eroded	11,541	3.2
AwE2	Appling-Wedowee gravelly sandy loams, 15 to 25 percent slopes, eroded	1,204	0.3
AxE2	Appling-Wedowee fine sandy loams, 15 to 25 percent slopes, eroded	4,901	1.4
BrD	Bremo loam, 6 to 15 percent slopes	736	0.2
BrE	Bremo loam, 15 to 25 percent slopes	876	0.2
BrF	Bremo loam, 25 to 60 percent slopes	425	0.1
Bu	Buncombe loamy fine sand	565	0.2
CcB2	Cecil fine sandy loam, 2 to 6 percent slopes, eroded	18,813	5.3
CcC2	Cecil fine sandy loam, 6 to 15 percent slopes, eroded	26,784	7.5
CcE2	Cecil fine sandy loam, 15 to 25 percent slopes, eroded	8,899	2.5
CdC	Cecil cobbly fine sandy loam, 6 to 15 percent slopes	601	0.2
CeB3	Cecil clay loam, 2 to 6 percent slopes, severely eroded	470	0.1
CeD3	Cecil clay loam, 6 to 15 percent slopes, severely eroded	1,636	0.5
CeE3	Cecil clay loam, 15 to 25 percent slopes, severely eroded	644	0.2
CfL	Cut and fill land	574	0.2
Ch	Chewacla loam	1,546	0.4
Ct	Chewacla-Toccoa complex	10,318	2.9
CuB	Cullen loam, 2 to 6 percent slopes	12,378	3.5
CuC2	Cullen loam, 6 to 15 percent slopes, eroded	17,338	4.9
CuE2	Cullen loam, 15 to 25 percent slopes, eroded	5,858	1.6
CxB3	Cullen clay loam, 2 to 6 percent slopes, severely eroded	1,458	0.4
CxC3	Cullen clay loam, 6 to 15 percent slopes, severely eroded	3,918	1.1
CxE3	Cullen clay loam, 15 to 25 percent slopes, severely eroded	1,867	0.5
DoA	Dogue fine sandy loam, 0 to 2 percent slopes	233	*
DoB	Dogue fine sandy loam, 2 to 6 percent slopes	902	0.3
Eb	Elbert loam	1,073	0.3
EnB	Enon fine sandy loam, 2 to 6 percent slopes	1,052	0.3
EnC2	Enon fine sandy loam, 6 to 10 percent slopes, eroded	1,558	0.4
FIB2	Fluvanna fine sandy loam, 2 to 6 percent slopes, eroded	200	*
FIC2	Fluvanna fine sandy loam, 6 to 15 percent slopes, eroded	495	0.1
FIE2	Fluvanna fine sandy loam, 15 to 25 percent slopes, eroded	322	*
Fo	Forestdale silt loam	167	*
GeB2	Georgeville loam, 2 to 6 percent slopes, eroded	7,676	2.2
GeC2	Georgeville loam, 6 to 15 percent slopes, eroded	8,918	2.5
GeE2	Georgeville loam, 15 to 25 percent slopes, eroded	1,466	0.4
GrB	Georgeville-Brockroad loams, 2 to 6 percent slopes	1,491	0.4
GwB	Gwinnett clay loam, thick solum variant, 2 to 6 percent slopes	577	0.2
GwC	Gwinnett clay loam, thick solum variant, 6 to 15 percent slopes	422	0.1
HaB	Helena fine sandy loam, 2 to 6 percent slopes	882	0.2
HaC	Helena fine sandy loam, 6 to 15 percent slopes	272	*
HdB	Herndon loam, 2 to 6 percent slopes	367	0.1
HdC	Herndon loam, 6 to 10 percent slopes	223	*
HwB2	Hiwassee loam, 2 to 6 percent slopes, eroded	1,345	0.4
HwC2	Hiwassee loam, 6 to 15 percent slopes, eroded	1,707	0.5
HwE2	Hiwassee loam, 15 to 25 percent slopes, eroded	241	*

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol	Soil Name	Acres	Percent
IrB	Iredell loam, 2 to 6 percent slopes	3,082	0.9
IrB2	Iredell loam, 2 to 6 percent slopes, eroded	220	*
IrC	Iredell loam, 6 to 10 percent slopes	965	0.3
IrC2	Iredell loam, 6 to 10 percent slopes, eroded	228	*
LoD	Louisburg fine sandy loam, 6 to 15 percent slopes	1,319	0.4
LoE	Louisburg fine sandy loam, 15 to 25 percent slopes	3,031	0.9
LoF	Louisburg fine sandy loam, 25 to 60 percent slopes	2,263	0.6
MaB2	Madison loam, 2 to 6 percent slopes, eroded	901	0.3
MaC2	Madison loam, 6 to 15 percent slopes, eroded	3,516	1.0
MaE2	Madison loam, 15 to 25 percent slopes, eroded	2,645	0.7
McD	Manteo channery loam, 6 to 15 percent slopes	2,716	0.8
McE	Manteo channery loam, 15 to 25 percent slopes	7,109	2.0
McF	Manteo channery loam, 25 to 60 percent slopes	12,047	3.4
MnE	Manteo-Rock outcrop complex, steep	326	*
MpB	Masada fine sandy loam, 2 to 6 percent slopes	3,722	1.0
MpC	Masada fine sandy loam, 6 to 15 percent slopes	2,451	0.7
MrB	Masada gravelly fine sandy loam, 2 to 6 percent slopes	538	0.2
MrC	Masada gravelly fine sandy loam, 6 to 10 percent slopes	313	*
MsB2	Masada loam, 2 to 6 percent slopes, eroded	645	0.2
MsC2	Masada loam, 6 to 12 percent slopes, eroded	404	0.1
MtB	Masada loam, local alluvium, 0 to 4 percent slopes	3,129	0.9
MwB	Mayodan fine sandy loam, 2 to 6 percent slopes	2,983	0.8
MwC	Mayodan fine sandy loam, 6 to 15 percent slopes	2,695	0.8
MyB2	Mayodan loam, 2 to 6 percent slopes, eroded	1,204	0.3
MyC2	Mayodan loam, 6 to 15 percent slopes, eroded	792	0.2
MzB2	Mecklenburg loam, 2 to 6 percent slopes, eroded	1,065	0.3
MzC2	Mecklenburg loam, 6 to 15 percent slopes, eroded	2,813	0.8
MzE2	Mecklenburg loam, 15 to 25 percent slopes, eroded	596	0.2
NaB	Nason loam, 2 to 6 percent slopes	1,029	0.3
NaC	Nason loam, 6 to 15 percent slopes	6,551	1.8
NaE	Nason loam, 15 to 25 percent slopes	5,886	1.7
PeA	Penn silt loam, 0 to 2 percent slopes	764	0.2
PeB	Penn silt loam, 2 to 6 percent slopes	1,639	0.5
PeC	Penn silt loam, 6 to 15 percent slopes	720	0.2
PkB	Pinkston fine sandy loam, 2 to 6 percent slopes	234	*
PkD	Pinkston fine sandy loam, 6 to 15 percent slopes	763	0.2
PpE	Pinkston and Penn soils, 15 to 25 percent slopes	1,095	0.3
Qu	Quarry mine	227	*
Re	Riverview loam	1,657	0.5
Ro	Roanoke silt loam, local alluvium	425	0.1
StA	State fine sandy loam, 0 to 2 percent slopes	495	0.1
StB	State fine sandy loam, 2 to 6 percent slopes	209	*
TaD	Tallapoosa loam, 6 to 15 percent slopes	376	0.1
TaE	Tallapoosa loam, 15 to 25 percent slopes	1,469	0.4
TaF	Tallapoosa loam, 25 to 60 percent slopes	1,563	0.4
TIB	Tatum loam, 2 to 6 percent slopes	7,038	2.0
TIC2	Tatum loam, 6 to 15 percent slopes, eroded	19,226	5.4
TIE2	Tatum loam, 15 to 25 percent slopes, eroded	8,842	2.5
TmD3	Tatum clay loam, 6 to 15 percent slopes, severely eroded	911	0.3
TmE3	Tatum clay loam, 15 to 25 percent slopes, severely eroded	467	0.1

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol	Soil Name	Acres	Percent
To	Toccoa fine sandy loam	4,878	1.4
TuB	Turbeville fine sandy loam, 2 to 6 percent slopes	2,711	0.8
TuC2	Turbeville fine sandy loam, 6 to 15 percent slopes, eroded	2,789	0.8
UL	Urban land	4,792	1.3
UNC	Urban land-Cecil complex, sloping	205	*
URC	Urban land-Cullen complex, sloping	272	*
USC	Urban land-Madison complex, sloping	1,022	0.3
VaB	Vance fine sandy loam, 2 to 6 percent slopes	588	0.2
VaB2	Vance fine sandy loam, 2 to 6 percent slopes, eroded	701	0.2
VaC2	Vance fine sandy loam, 6 to 10 percent slopes, eroded	689	0.2
W	Water	1,512	0.4
Wa	Wahee and Augusta loams	728	0.2
Wd	Wehadkee loam	971	0.3
WeA	White Store fine sandy loam, 0 to 2 percent slopes	328	*
WeB	White Store fine sandy loam, 2 to 6 percent slopes	509	0.1
WgA	White Store loam, 0 to 2 percent slopes	394	0.1
WgB	White Store loam, 2 to 6 percent slopes	534	0.2
WhA	White Store loam, wet variant, 0 to 2 percent slopes	385	0.1
WhB	White Store loam, wet variant, 2 to 6 percent slopes	326	*
WkB	Wilkes loam, 2 to 6 percent slopes	218	*
WkD	Wilkes loam, 6 to 15 percent slopes	3,448	1.0
WkE	Wilkes loam, 15 to 25 percent slopes	8,359	2.4
WkF	Wilkes loam, 25 to 60 percent slopes	5,261	1.5
WIE3	Wilkes soils, 15 to 25 percent slopes, severely eroded	817	0.2
WoB	Worsham soils, 0 to 4 percent slopes	5,871	1.7
Total		354,560	99.7

* Less than 0.1 percent.